



**Radiation Products Design, Inc.**

**5218 Barthel Industrial Drive**

**Albertville, MN 55301**

**www.rpdinc.com**

**Phone: 800-497-2071 Fax: 763-497-2295**

**RPD is an authorized  
distributor**

---

## **RPD Product Information**

---

<b>Item Number</b>	<b>Description</b>
--------------------	--------------------

---

<b>3050-262</b>	<b>Gamma Putty, 10 lb. Can</b>
-----------------	--------------------------------

# Material Safety Data Sheet

## SWX-262 Gamma Putty

Shieldwerx  
4135 Jackie Rd. SE, Suite 108  
Rio Rancho, NM 87124

Tel: 505.892.5144  
Fax: 505.890.8319

### Section I

Chemical Name & Synonyms: Bismuth & Low Density Polyethylene Mixture  
Trade Name & Synonyms: SWX-262 Gamma Putty  
Formula: Group IV B Metal, LDPE Bi and (CH<sub>2</sub>)<sub>n</sub>

### Section II – Hazardous Ingredients

<u>Material</u>	<u>CAS#</u>	<u>%</u>	<u>TLV</u>
Bismuth	7440-69-9		
Poly	9002-88-4		

### Section III - Physical Data

Boiling Point:	N/A	Specific Gravity (H <sub>2</sub> O=1):	4.3 g/cc
Vapor Pressure (mm Hg):	N/A	Percent volatile by volume (%):	<1
Vapor Density (Air=1):	N/A	Evaporation Rate:	N/A
Solubility in Water:	Negligible	Melting Point: (°F)	(hydrocarbon compound) Approx. 120
Appearance & Odor:	Dense black putty, slight oil-like odor		

### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used): 425 °F-ASTM-92  
Flammable Limits: N/A  
Extinguishing Media: Smother or dry chemical – DO NOT USE WATER.

Special Fire Fighting Procedures: Use self-contained breathing apparatus (NIOSH/MSHA approved) and protective clothing when fighting fires for lead.

Unusual Fire and Explosion Hazards: None

continued

### Section V - Health Hazard Data

Threshold Limit Value: N/A

#### Effects of Overexposure:

Skin: No known hazard.  
Eyes: Irritation.  
Inhalation: Unlikely  
Ingestion:

#### Emergency and First Aid Procedures:

Skin: Wash with soap and water after exposure  
Eyes: Flush eyes immediately with large amounts of water for at least 15 minutes. Get medical attention if irritation persists  
Inhalation: N/A  
Ingestion:

### Section VI – Reactivity Data

Stability: Stable  
Incompatibility (materials to avoid): Not Likely  
Hazardous Decomposition Products: Thermal decomposition products may include C, CO, CO<sub>2</sub>, H<sub>2</sub>O and organic vapors  
Hazardous Polymerization: Will not occur

### Section VII – Spill or Leak Procedures

Steps to be taken in case material is released or spilled: Pick up and return to container for reuse or disposal.

Waste Disposal Method: Solid waste disposal site in accordance with federal, state, and local regulations.

### Section VIII – Special Protection Information

Respiratory Protection: None required for intended usage of product.

#### Ventilation:

Local Exhaust: None required.  
Mechanical: N/A  
Special: N/A  
Other: N/A

Protective Gloves: Plastic or rubber recommended with significant skin contact. Do not use latex gloves

Eye Protection: Recommended if eye contact is possible.

Other Protective Equip: A gauze or plaster mask between patient's skin and Gamma Putty is recommended.

### Section IX – Special Precautions

Precautions to be taken in handling and storing: Do not heat over 110 °F. Do not smoke or eat when handling this material.

Other Precautions: None