



**RPD is an
authorized distributor**

**Radiation Products Design, Inc
5218 Barthel Industrial Drive
Albertville, MN 55301
www.rpdinc.com
Phone: 800-497-2071 Fax 763-497-2295**

RPD Product Information

Item Number Description

| | |
|---------|--|
| 466-200 | Medi-Aire, Fress Air 1oz Spray Bottle |
| 466-201 | Medi-Aire, Fresh Air 8oz Refill Bottle |
| 466-205 | Medi-Aire, Unscented 1oz Spray Bottel |
| 466-206 | Medi-Aire, Unscented 8oz Refill Bottle |
| 466-210 | Medi-Aire, Lemon 1oz Spray Bottle |
| 466-211 | Medi-Aire, Lemon 8oz Refill Bottle |

MATERIAL SAFETY DATA SHEET

Required under USDL Safety and Health Regulations for Ship Repairing,
Shipbuilding, and Shipbreaking (29 CFR 1915, 1916, 1917)

SECTION I

| | | |
|--|--|--|
| MANUFACTURER'S NAME Catalina Biomedical Corporation | | EMERGENCY TELEPHONE NO. (818)357-0669 |
| ADDRESS (Number, Street, City, State, and ZIP Code) 1524 Highland Ave. Duarte, CA 91010 | | |
| CHEMICAL NAME AND SYNONYMS Quaternary Ammonium Compound-Ethanol | | TRADE NAME AND SYNONYMS Medi-Aire |
| CHEMICAL FAMILY Water Mixture with Fragrance | | FORMULA Proprietary |

SECTION II - HAZARDOUS INGREDIENTS

| PAINTS, PRESERVATIVES, & SOLVENTS | % | TLV (Units) | ALLOYS AND METALLIC COATINGS | % | TLV (Units) |
|---|------|-------------|--|------|-------------|
| PIGMENTS | | | BASE METAL | | |
| CATALYST | NONE | | ALLOYS | NONE | |
| VEHICLE | | | METALLIC COATINGS | | |
| SOLVENTS | | | FILLER METAL PLUS COATING OR CORE FLUX | | |
| ADDITIVES | | | OTHERS | | |
| OTHERS | | | | | |
| HAZARDOUS MIXTURES OF OTHER LIQUIDS, SOLIDS, OR GASES | | | | % | TLV (Units) |
| NONE | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

SECTION III - PHYSICAL DATA

| | | | |
|-------------------------|----------------------------------|---------------------------------------|-----|
| BOILING POINT (°F.) | -- | SPECIFIC GRAVITY (H ₂ O=1) | .95 |
| VAPOR PRESSURE (mm Hg.) | -- | PERCENT. VOLATILE BY VOLUME (%) | 70 |
| VAPOR DENSITY (AIR=1) | -- | EVAPORATION RATE (---=1) | |
| SOLUBILITY IN WATER | Complete | | |
| APPEARANCE AND ODOR | Clear green liquid - floral odor | | |

SECTION IV : FIRE AND EXPLOSION HAZARD DATA

| | | | | |
|------------------------------------|------------------------------|------------------|-----|-----|
| FLASH POINT (Method used) | 81° closed cup | FLAMMABLE LIMITS | Let | Uet |
| EXTINGUISHING MEDIA | Water, Spray, Carbon Dioxide | | | |
| SPECIAL FIRE FIGHTING PROCEDURES | None | | | |
| UNUSUAL FIRE AND EXPLOSION HAZARDS | None | | | |

SECTION V - HEALTH HAZARD DATA

| | |
|---|----------------|
| THRESHOLD LIMIT VALUE | Not determined |
| EFFECTS OF OVEREXPOSURE | None |
| EMERGENCY AND FIRST AID PROCEDURES | |
| Flush eyes or skin with plenty of water. If swallowed, drink large quantity of milk or water, call a physician. | |

SECTION VI - REACTIVITY DATA

| | | | |
|---------------------------------------|----------------|---|---------------------|
| STABILITY | UNSTABLE | | CONDITIONS TO AVOID |
| | STABLE | X | None |
| INCOMPATIBILITY. (Materials to avoid) | | | |
| None | | | |
| HAZARDOUS DECOMPOSITION PRODUCTS | | | |
| None | | | |
| HAZARDOUS POLYMERIZATION | MAY OCCUR | | CONDITIONS TO AVOID |
| | WILL NOT OCCUR | X | |

SECTION VII - SPILL OR LEAK PROCEDURES

| | |
|---|--|
| STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED | |
| Flush area with water. | |
| WASTE DISPOSAL METHOD | |
| Dilute with water, use sewer system. | |

SECTION VIII - SPECIAL PROTECTION INFORMATION

| | | | |
|---------------------------------------|----------------------|----------------|---------------|
| RESPIRATORY PROTECTION (Specify type) | | | None required |
| VENTILATION | LOCAL EXHAUST | SPECIAL | |
| | MECHANICAL (General) | OTHER | |
| PROTECTIVE GLOVES | | EYE PROTECTION | |
| None required | | None required | |
| OTHER PROTECTIVE EQUIPMENT | | | |
| None | | | |

SECTION IX - SPECIAL PRECAUTIONS

| | |
|---|--|
| PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING | |
| None required | |
| OTHER PRECAUTIONS | |
| | |

PAGE (2) Prepared by: R. Pike

R. Pike

Date: 3/15/86 Form OSHA-20
Rev. May 72