



**RPD is an
authorized distributor**

**Radiation Products Design, Inc
5218 Barthel Industrial Drive
Albertville, MN 55301
www.rpdinc.com
Phone: 800-497-2071 Fax 763-497-2295**

RPD Product Information

Item Number Description

468-010	+Tattoo Ink - 1 oz Black India Ink
---------	------------------------------------

A-ink black

FIRE AND EXPLOSION DATA

Boiling Point 100°C	Flashpoint not applicable	Flammable Limits	LEL _n .applic. UEL _n .applic.
------------------------	------------------------------	------------------	--

REACTIVITY

STABLE <input checked="" type="checkbox"/>	UNSTABLE <input type="checkbox"/> (Conditions to avoid) acids will seperate binder	HAZARDOUS DECOMPOSITION PRODUCTS none known	INCOMPATIBILITY (Materials to avoid) acids
--	--	--	--

EMERGENCY AND FIRE FIGHTING PROCEDURE

not applicable

SPILLAGE CLEAN-UP AND WASTE DISPOSAL PROCEDURE

small amounts: wash off with plenty of water
voluminous amounts: soak up on inert material;
ispose according to local regulations

FIRST AID

INHALATION	not applicable
EYES	rinse with water thoroughly
SKIN	wash with water and soap
INGESTION	seek medical advise

STORAGE INSTRUCTIONS

Keep from severe frost

ADDITIONAL INFORMATION

dried drawing ink becomes unsoluble in water

MATERIAL HEALTH AND SAFETY DATA SHEET

PRODUCT Drawing Ink A, black

SUPPLIER Pelikan International Handelsqes.mbH & Co.KG

Postbox 103 D-3000 Hannover 1

COMPONENTS

Hazardous Ingredients	TLV	%
phenol (CAS: 106-95-2) sodium-tetraborate (CAS: 1303-96-4)	5ppm	0,7 <2

HEALTH HAZARD INFORMATION

Route	Effects
INHALATION	none
EYE CONTACT	intermediate slight irritation
SKIN CONTACT	none
SKIN ABSORPTION	none
INGESTION	none known

HANDLING PRECAUTIONS

avoid eye-contact