

## **Radiation Products Design Inc**

SAFETY DATA SHEET

## **RPD INFORMATION**

- Address 5218 Barthel Industrial Drive Albertville, MN 55301
- Website www.rpdinc.com
- Email sales@rpdinc.com
- Phone 763-497-2071 or 800-497-2071
- **Fax** 763-497-2295

**RAW MATERIAL INFORMATION** 

**NOVUS Plastic Polish #1 – Plastic Clean & Shine** 

MATERIAL SAFE	<b>TY DATA SHEET</b>
<b>IS</b> NOVUS Inc.	Medical Emergencies (800) 420-8036

PLASTIC POLISH<sup>®</sup> 12800 Highway 13 South, Suite 500 Savage, MN 55378

Medical Emergencies (800) 420-8036 Transportation Emergencies (800) 424-9300 (Outside U.S. call (703) 527-3887 collect) Business phone # (952) 944-8000

Business phone # (952) 944-8000								
SECTION 1 - PRODUCT IDENTIFICATION AND USE								
PRODUCT NAME(S):						<i>I.D.</i> 7010		
CHEMICAL NAME: NA		PRODUCTUSE			ean and restore plastic surfaces.			
SECTION 2 - HAZARDOUS INGREDIENTS								
		% BY			CUICI	LD50 (SPECIES &		
INGREDIE	NT	WEIGHT	CAS #	EXPOSURE	LIMITS	ROUTE)	LC50 (SPECIES)	
leanrany Alashal		0.5 - 1.5	67-63-0	100 ppm	(1.2)	EQ45 mg/kg (rot orol)	16000 ppm (rot)	
Isopropyl Alcohol		0.5 - 1.5	07-03-0	400 ppm	(1,2)	5045 mg/kg (rat, oral)	16000 ppm (rat)	
				500 ppm	(4)			
NOTES: (1) ACGIH	TLV (TWA) (2) - OS	HA PEL (TWA)	(3) - ACGII	ISTEL (4)	) - OSHA :	STEL (5) - MFR/SUF	PLIER TLV	
- ()	. , .,		.,		,			
** REGUL	ATED CHEMICAL REF					0 40 CFR372		
	SEC	CTION 3	- PHYSIC	AL DAT	A			
PHYSICAL STATE:	Liquid	APPEARANC	<b>E:</b> White	opaque liquid	0	DOR:	ht odor	
VAPOR PRESSURE		% VOLATILE		opaquo iiquiu		APOR DENSITY		
(mmHg):	<33	% VOLATILE	<u>_</u> ≤0.5			APOR DENSITY AIR=1):	NE	
EVAPORATION		BOILING PO			F	REEZING POINT		
RATE (BuAc=1):	< 1	(°C):	99			C):	NE	
pH:	NE	DENSITY (g	/ <b>mL):</b> 1.0			SOLUBILITY IN WATER: Complete		
SECTION 4 - FIRE AND EXPLOSION DATA								
		N 4 - FIRI	E AND E	VLC21				
FLAMMABILITY YES NOX	IF YES, UNDER WHICH CONDITIONS.				NF	<b>PA RATING:</b> 1 1 0		
		-	motoriolo					
EXTINGUISHING MEDIA: Use media suitable for surrounding materials.   SPECIAL FIRE FIGHTING PROCEDURES: No special procedures required.								
FLASH POINT (PMCC) d			MABILITY LIN	IIT.		OWER FLAMMABILITY	'I IMIT-	
. ,	>200 >200	(% BY VOLU	ME)	NE	(9	% BY VOLUME)	NE	
AUTOIGNITION TEMPERATURE (deg C)	. NE	HAZARDOU	S COMBUSTIOI	PRODUCTS:	Carbo	n Dioxide and Carbon Mo	noxide.	
EXPLOSION SENSIT	IVITY TO IMPACT:	NE	SENSI	IVITY TO STA	TIC DISC	HARGE: NE		
DATA								
	SE	CTION 5	- REAC	FIVITY D	DATA			
CHEMICAL STABILITY: IF NO, UNDER YES X NO WHICH CONDITIONS:								
INCOMPATIBILITY WITH	OTHER SUBSTANCES IF SO, WHICH ONES?	Strong ov	kidizers.					
REACTIVITY, AND Product is not considered highly reactive.   UNDER WHICH CONDITIONS? Product is not considered highly reactive.								
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Dioxide and Carbon Monoxide.								

PRODUCT NAME(S): NOVUS	PRODUCT NAME(S): NOVUS Plastic Polish #1 (P/N 7020, 7024, 7026, 7050) - Plastic Clean & Shine							
SECTION 6 - TOXICOLOGICAL PROPERTIES								
ROUTE OF ENTRY: SKIN CON				ATION INGESTION X				
EFFECTS OF ACUTE EXPOSURE TO PRODUCT: May be mildly irritating to the eyes. May cause mild skin irritation in certain individuals.								
EFFECTS OF CHRONIC EXPOSUR	E TO PRODUCT:							
	Prolonged inh	alation of mist may ca	ause mild respirate	bry irritation.				
EXPOSURE LIMITS: See section 2.	IRRITANCY OF PRODUCT: Mild: Eyes, skin	SENSITIZATION TO PRODUCT:   CARCINOGENICITY:     None reported or anticipated   NE						
TERATOGENICITY: NE	REPRODUCTIVE TOXICITY: NE	MUTAGENICITY:	NE	SYNERGISTIC PRODUCTS: NE				
SI	ECTION 7 - PREVEN1	IVE MEASU	JRES					
PERSONAL PROTECTIVE EQUIPM								
<b>CLOTHING (SPECIFY):</b> Not norm of extended skin contact, neoprene of are recommended.	ally required; however, in situations or other chemical resistant gloves							
EYE (SPECIFY): Not normally re glasses is record	equired; however, the use of safety mmended.	OTHER (SPECIFY): If possible, eye wash and safety shower should be available.						
ENGINEERING CONTROLS (SPECIFY): Local exhaust may be necessary under some useage/handling conditions. Specific needs should be addressed by health/safety personnel.								
LEAK/SPILL PROCEDURE: Wear personal protective equipment. Remove heat and ignition sources, ventilate area, clean up with inert absorbant.								
WASTE DISPOSAL: Dispose of according to local, state, provincial, and federal regulations. Wastes of this product are not classified as hazardous wastes.								
HANDLING PROCEDURES/EQUIPMENT AND STORAGE REQUIREMENTS: Store in closed container in cool, dry location, away from direct sunlight and sources of intense heat.								
SPECIAL SHIPPING INFORMATION	l:	OTHER I	NFORMATION:					
KEEP FROM FREEZING NOT REGULATED BY D.O.	KEEP FROM FREEZINGHMIS Rating:NOT REGULATED BY D.O.T.1 1 0 B							
SECTION 8 - FIRST AID MEASURES								
SYMPTOMS / EFFECTS OF OVEREXPOSURE: Prolonged or repeated exposure may lead to skin irritation and dermatitis. Eye contact may be irritating and may cause damage.								
EYES: Immediately flush eyes with large amounts of water for at least 15 minutes while holding the eyelids open. Get prompt medical attention.								
SKIN: Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists.								
INHALATION: Move victim to fresh air and treat symptomatically. Seek medical attention if irritation persists.								
INGESTION: Contact local poison control center or physician IMMEDIATELY!								
SECTION 9 - MSDS PREPARATION INFORMATION								
THIS MATERIAL SAFETY DATA SHEET IS OFFERED IN GOOD FAITH AS TYPICAL VALUES AND NOT AS A PRODUCT SPECIFICATION. NO WARRANTY, EITHER EXPRESSED OR IMPLIED, IS HEREBY MADE. THE RECOMMENDED INDUSTRIAL HYGIENE AND SAFE HANDLING PROCEDURES ARE BELIEVED TO BE GENERALLY APPLICABLE. HOWEVER, EACH USER SHOULD REVIEW THESE RECOMMENDATIONS IN THE SPECIFIC CONTENT OF THE INTENDED USE AND DETERMINE WHETHER THEY ARE APPROPRIATE.								
PREPARED BY: NOVUS Inc	CHEMISTRY DEPART	MENT DATE	5-9-2013					