



Expect Service

Radiation Products Design Inc

---

## MATERIAL SAFETY DATA SHEET

---

### RPD INFORMATION

**Address** 5218 Barthel Industrial Drive  
Albertville, MN 55301

**Website** [www.rpdinc.com](http://www.rpdinc.com)

**Email** [sales@rpdinc.com](mailto:sales@rpdinc.com)

**Phone** 763-497-2071 or 800-497-2071

**Fax** 763-497-2295

### RPD PRODUCT INFORMATION

**RPD is an authorized distributor**

<b>Item Number</b>	<b>Description</b>
486-405	Super-Flex Bolus - 0.5cm x 35cm sq
486-410	Super-Flex Bolus - 1.0cm x 35cm sq
486-415	Super-Flex Bolus - 1.5cm x 35cm sq
486-420	Super-Flex Bolus - 2.0cm x 35cm sq
486-425	Super-Flex Bolus - 2.5cm x 35cm sq
486-430	Super-Flex Bolus - 3.0cm x 35cm sq
486-440	Super-Flex Bolus - 4.0cm x 35cm sq

# Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. This Standard must be  
consulted for specific requirements.

## U.S. Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTITY <b>Akton® Polymer Skinless Bolus</b>	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
--	---

### Section I

Manufacturer's Name <b>Action Products, Inc.</b>	Emergency Telephone Number <b>301-797-1414</b>
Address <b>954 Sweeney Drive</b>	Telephone Number for Information <b>301-797-1414</b>
<b>Hagerstown, MD 21740</b>	Date Prepared <b>December 1994</b>
	Preparer <b>D. Michelle Laing</b>

### Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% ( <i>optional</i> )
<b>NONE</b> Non-hazardous ingredients are proprietary.				

### Section III - Physical/Chemical Characteristics

Boiling Point	<b>N/A</b>	Specific Gravity (H <sub>2</sub> O = 1)	<b>N/A</b>
Vapor Pressure (mm Hg.)	<b>N/A</b>	Melting Point	<b>300°F</b>
Vapor Density (AIR = 1)	<b>N/A</b>	Evaporation Rate (Butyl Acetate = 1)	<b>N/A</b>
Solubility in Water	<b>N/A</b>		
Appearance and Odor	<b>Viscoelastic polymer; slight musty odor</b>		

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used)	N/A	Flammable Limits	LEL	UEL
		N/A		
Extinguishing Media	Dry chemical, carbon dioxide, chemical foam or H2O			
Special Fire Fighting Procedures	Emergency equipment w/self-contained breathing apparatus should be worn.			
Unusual Fire and Explosion Hazards	Akton® viscoelastic polymer is rated as self-extinguishing by ASTM# D1692-68.			

**Section V - Reactivity Data**

Stability	Unstable		Conditions to Avoid	NONE
	Stable	X		
Incompatibility ( <i>Materials to Avoid</i> )	NONE			
Hazardous Decomposition or Byproducts	Only in case of fire; highly toxic gases may be generated by thermal decomposition and combustion.			
Hazardous Polymerization	May Occur		Conditions to Avoid	NONE
	Will Not Occur	X		

**Section VI - Health Hazard Data**

Route(s) of Entry:	Inhalation?	NO	Skin?	NO	Ingestion?	NO	
Health Hazards ( <i>Acute and Chronic</i> ) Products have been in use for over 25 years in the form of wheelchair cushions, bed pads and operating room pads with no deleterious effects to humans reported.							
Carcinogenicity:	NO	NTP?	NO	IARC Monographs?	NO	OSHA Regulated?	NO
Signs and Symptoms of Exposure		NONE					
Medical Conditions							
Generally Aggravated by Exposure		None under normal use					
Emergency and First Aid Procedures		Seek medical assistance if necessary.					

**Section VII - Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled	Will not spill or leak
Waste Disposal Method	Landfill in accordance with all federal, state and local requirements
Precautions to Be taken in Handling and Storing	In the event the material loses its oily texture, white mineral oil may be applied to the surface. Products are not adversely affected by temperature in the range of -40 to 212°F. However, it is best to store at ambient room temperature.
Other Precautions	Products are sensitive to ultraviolet light. Protect from direct sunlight.

**Section VIII - Control Measures**

Respiratory Protection ( <i>Specify Type</i> )	None required		
Ventilation	Local Exhaust	Special	
	Mechanical ( <i>General</i> )	Other	N/A
Protective Gloves	None required	Eye Protection	None required
Other Protective Clothing or Equipment	None required		
Work/Hygienic Practices	Wash hands prior to eating or smoking.		

**Section IX - Special Precautions**

Precautions to be taken in Handling and Storing	See Section VII
Other Precautions	NONE

Each MSDS must be reviewed for correctness and completeness every three years.

Reviewed by D. Michelle Laing

Revision date August 2007