

PATIENT & PERSONAL PRODUCTS

ALRA® RADIATION THERAPY LOTION



- Provides quick, reliable relief from acute radiation dermatitis
- Non-irritating, non-allergenic
- Does not interfere with ongoing treatment
- Excellent patient acceptance

In patient studies conducted at the Cedars-Sinai Comprehensive Cancer Center in Los Angeles, none of the patients treated with Alra® Radiation Therapy Lotion showed irritation or allergic reactions.

This soothing lotion aids in the replacement of damaged tissue, helping the natural healing process to take place.

Item #	Description	Quantity
125-001	Alra® Radiation Therapy Lotion, 4 oz. Bottle	12
125-003	Alra® Radiation Therapy Lotion, 1 oz. Bottle	24

Alra® Radiation Therapy Lotion is specifically developed for the treatment of skin exposed to radiation therapy. It contains a highly concentrated emulsion of aloe vera gel, lanolin, vitamin E, soluble collagen, and allantoin. It does not contain water, glycerin, mineral oil, alcohol or added fragrance.

Y

ALRA® NON-METALLIC DEODORANT



- Free of metallic ingredients that can interfere with radiation therapy treatments

Alra® Non-Metallic Deodorant is specifically formulated to eliminate perspiration odor and wetness without the use of metallic ingredients that may interfere with treatments. This gentle, non-irritating deodorant contains oil of cypress, a clean-smelling natural fragrance, and lichen extract which is a natural bactericide and fungicide.

Item #	Description	Quantity
125-006	Alra® Non-Metallic Deodorant	12

ALRA® MILD CONDITIONING SHAMPOO



- Minimizes hair damage while cleansing and conditioning hair and scalp

Oncology therapy can cause normal hair to become extremely dry and brittle, and the scalp to be very sensitive. While no shampoo can prevent hair loss caused by some chemotherapy drugs, Alra® Mild Conditioning Shampoo is an extra-gentle formula that is acid-balanced and specially-formulated to minimize hair damage.

Ingredients include: aloe vera gel, DL panthenol (pro-vitamin B-5) and aromatic oil of rosemary, to stimulate scalp circulation.

Item #	Description	Quantity
125-011	Alra® Mild Total Body Shampoo, 8 oz Bottle	12

PATIENT & PERSONAL PRODUCTS

DISPOSABLE NITRILE GLOVES



These patented gloves provide three times the puncture resistance of natural rubber and vinyl disposable gloves of comparable thickness. Gloves contain no natural rubber latex proteins. Disposable, 100% nitrile gloves are 4 mil thick with low-powder, 9 1/2" long, fits either hand. Sold in 100/box.

Item #	Gloves, Disposable Nitrile	Size
280-001	Powdered	Medium
280-002	Powdered	Large
280-003	Powdered	X-Large
280-004	Powder-Free	Medium
280-005	Powder-Free	Large
280-006	Powder-Free	X-Large

DISPOSABLE VINYL EXAM GLOVES

Y



Tough 5-mil Vinyl Exam Gloves fit either hand. 11" length. Comes lightly powdered or powder free. Excellent general-purpose disposable gloves. Sold in 100/box.

Item #	Gloves, Disposable Vinyl	Size
280-010	Powdered	Medium
280-011	Powdered	Large
280-012	Powdered	X-Large
280-015	Powder-Free	Medium
280-016	Powder-Free	Large
280-017	Powder-Free	X-Large

BIOGEL LATEX SURGICAL GLOVES

Powder-Free



With patented Biogel coating. 100% physically inspected. Easy to don, even over damp hands. Curved finger design helps prevent hand fatigue. Beaded cuffs. Hand specific. Single-use. Natural color. Sterile. 10 1/2" length. 10 mil thick. Specially processed to ensure $\leq 50\mu\text{g}$ of water-extractable protein per gram of latex. Sold in 50 pairs/pack except for size 8 1/2" which is only available in a case of 200 pairs.

Item #	Gloves, Biogel Latex Surgical	Size
280-071	Powder-Free	6
280-072	Powder-Free	6 1/2
280-073	Powder-Free	7
280-074	Powder-Free	7 1/2
280-075	Powder-Free	8
280-076	Powder-Free	8 1/2

Blood Pressure Monitor



The professional stethoscope can be used for other diagnostic procedures. The self-taking method is easily adapted with the D-Ring cuff. Arm size: 9" to 13".

Item 288-200 Blood Pressure Monitor Includes

- Gauge
- D-ring cotton cuff with chest piece
- Bladder
- Bulb and air release valve
- Binaural and eartips
- Y-tubing
- Vinyl storage case
- User manual
- Record chart
- 1 year warranty (limited, see manual for details)

Item #	Description
280-200	Blood Pressure Monitor

Y - 2

PATIENT & PERSONNEL PRODUCTS

FLEXBAK®



Flexbak® helps reduce back stress and strain with a design so unique its patented. Its three-part support is the key to a system that provides maximum back support with ease of movement. The 9" medical-style truss uses two internal support panels above and below the waist surrounded by an elastic third panel. These combine to produce maximum bracing without pinching or riding up.

To determine size, measure around abdomen at the navel.

Item #	Description	Size
280-11501	Flexbak® - Small	26" - 36"

MAXRIST®



MaxRist® offers a restrictive metal spoon stay that fits in the palm to eliminate the symptoms of CTS and other repetitive strain injuries. The lightweight flexible material does not hinder finger movement.

To determine size, measure around the wrist for correct size.

Item #	Description	Size
280-10902	MaxRist® Right	Medium (6 1/2" to 7 1/2")
280-11002	MaxRist® Left	Medium (6 1/2" to 7 1/2")

FLEXRIST®



FlexRist®, the comfortable all around support made of Neoprene is the best defense against Carpal Tunnel Syndrome. One design can be adapted to any wrist, right or left. It washes easily, is comfortable, extremely lightweight and versatile.

Item #	Description
280-11101	FlexRist® Regular

RIST RITE®



The Rist Rite® is a neoprene support that is reinforced with Cordura nylon across the palm for long wear. It has one strap that stops short of the hand.

To determine size, measure around the wrist.

Item #	Description	Size
280-11202	Rist Rite® Right	Medium (6 1/2" to 7 1/2")
280-11203	Rist Rite® Left	Medium (6 1/2" to 7 1/2")

SECA 216 WALL MOUNTED MECHANICAL MEASURING ROD

- Two different measurement ranges
- Easy read-out
- Adjustable head positioner
- Choice of two units of measurement
- Simple assembly

The seca 216 Wall-Mounted Mechanical Measuring Rod is equally suitable for measuring both children and adults. The plastic frame is simply mounted on the wall at the desired height. The seca 216 has a variable scale with a range of 1.4 to 90 inch that is inserted into a 55.3 inch frame. The head positioner, which can be easily locked into place, stays in exactly the right position when the measured person steps away from the measuring rod.

The results are clearly displayed in a window on the side of the rod and held in place by the locking screw on the head piece. Suitable for international use, the scale is printed in centimeters on one side of the tape and centimeters and inches on the other.

Specifications

Measuring Range: 1.4" to 90" (3.5 to 230 cm)

Graduations: 1/16" / 1mm

Dimensions: 4.7" W x 59.1" H x 8.5" D (12 x 150 x 21.7 cm)

Weight: 3.7 lb (1.7 kg)

CE 0123

Item #	Description
100-216	seca 216 Wall Mounted Mechanical Measuring Rod
100-217	Replacement Head Piece for Item 100-216

SECA 222 TELESCOPIC MEASURING ROD

Wall-mounted with extra wide slide

- Telescopic measuring rod with large measuring range
- Specially developed for wall mounting
- Result easy to read-off even for tall patients

Specially developed for wall mounting, these aluminum measuring rods are aligned to work exactly to the millimeter from head to toe. The broad measuring slide and heel positioner are professional prerequisites. The telescopic measuring rod ensures that the result can be easily read at eye level even for the tallest patient. When not in use, the measuring slide can be folded down for safety.

Specifications

Functions: Wall fastening essential/possible

Measuring Range: 2" - 90.5" (6 - 230 cm)

Graduation Length: 1/8" (1 mm)

Dimensions

Unfolded: 12.1" W x 91.3" H x 11.3" D (30.8 x 232 x 28.7 cm)

Folded: 12.1" W x 52" H x 11.3" D (30.8 x 132 x 28.7 cm)

Weight: 2.4 lb (1.1 kg)

CE 0123

Item #	Description
100-222	seca 222 Telescopic Measuring Rod, Inches
100-223	seca 222 Telescopic Measuring Rod, cm

Y

SECA 700 MECHANICAL COLUMN SCALE



- Extra high capacity of 500 lb (220 kg)
- Large, low platform
- Simple to operate and easy to read due to eye-level display
- Sturdy construction with cast-iron base
- Integrated Transport casters for mobile use

With its capacity of 500 lb (220 kg), the seca 700 has been specially designed for weighing overweight and obese patients. To ensure durability, special attention was paid to the high-quality construction. The generously sized, low level platform makes the seca 700 easy to mount. The weight scale, has been affixed at eye level, is printed on both sides and has large numerals so that the result is easier to read. A special coating reliably prevents the scale from fading even after years of use. The base of the seca 700 is made of cast iron and has a special coating on the lever apparatus which protects the inner parts against corrosion. The scale can be moved easily and quickly on the integrated transport casters to wherever it is needed. Fitted with the included seca 220 Telescopic Measuring Rod (measuring range of 24" to 78"), the seca 700 makes time-saving weighing and measuring possible in one step.

Specifications

Items 100-250 and 100-251 seca 700 Mechanical Column Scale

Functions: Reset-to-zero function, seca 220 Telescopic Measuring Rod

Capacity: 500 lb (220 kg)

Graduation: 1/8 lb (50 g)

Dimensions: 20.5" W x 61.3" H x 20.5" D (52.1 x 155.7 x 52.1 cm)

Platform: 13.2" W x 3.1" H x 13.6" D (33.5 x 7.9 x 34.5 cm)

Weight: 35.7 lb (16.2 kg)



Item #	Description
100-250	seca 700 Mechanical Column Scale, lbs
100-251	seca 700 Mechanical Column Scale, lbs/kg

SECA 769 DIGITAL COLUMN SCALE



- Site-independent as battery operated
- Easy to transport
- Cost-effective and low-maintenance due to low power consumption
- Intelligent functions for versatile use
- seca 220 measuring rod included

The seca 769 Digital Column Scale with BMI Function is equipped with several intelligent functions. The BMI function permits a reliable evaluation of the nutritional condition of the patient. The auto-HOLD function ensures that the result is still shown on the display after the patient has stepped down from the scale. Additional items which are not to be included in the weight result are simply deducted by means of the TARE function. The seca 769 is energy-saving, thus very cost-effective. The seca 769 is battery-operated, no wall outlet connection is necessary. The automatic switch-off function is another reason for the low energy consumption. The column scale is supplied with a seca 220 measuring rod so that both weight and height can be determined in just one time-saving step. With its smooth running transport casters, the column scale is also easy to move around.

Specifications

Item 100-261 seca 769 Digital Column Scale with BMI Function

Capacity: 450 lb (200 kg)

Graduation: 0.2 lb (100 g)

Dimensions: 11.6" W x 32.7" H x 16.4" D (29.4 X 83.1 X 41.7 cm)

Platform: 10.7" W x 3" H x 11" D (27.2 x 7.5 x 28 cm)

Measuring Range: 24 - 78" (60 - 200 cm)

Graduation Length: Measuring rod 1/8" (1 mm)

Weight: 13.7 lb (6.2 kg)

Power Supply: Batteries, power adapter optional

Functions/Accessories: TARE, auto-HOLD, BMI, lbs/kg

switch-over, automatic switch-off, measuring rod

Optional: Switch-mode power adapter seca 400


Item 100-263 Optional A/C UL Adapter

Dimensions: 1.6" W x 1.4" H x 2.9" D

(4.2 x 3.5 x 7.3 cm)

Cable length: 72.8" (1.85 m)

Weight: 0.34 lb (0.15 kg)



Item #	Description
100-261	seca 769 Digital Column Scale with BMI Function
100-263	A/C UL Adapter for Item 100-261